

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

RAINBOW CUSTOM

### Other means of identification:

Non-applicable

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Sealant

Uses advised against: All uses not specified in this section or in section 7.3

# 1.3 Details of the supplier of the safety data sheet:

AB Building Products Unit 18 Smeaton Road, West Portway, Andover Hampshire SP10 3LF Tel.: +44 1264 359984 orders@abbuildingproducts.co.uk www.abbuildingproducts.co.uk

**1.4 Emergency telephone number:** 999; 111; 0844 892 0111

# SECTION 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture: GB CLP Regulation: The product is not classified as hazardous according to GB CLP Regulation. 2.2 Label elements: GB CLP Regulation: Hazard statements:

#### Non-applicable

# Precautionary statements:

Non-applicable

### Supplementary information:

EUH208: Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

# 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Mixture composed of chemical products

# Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 Asp. Tox. 1: H304 - Danger	10 - <20 %
2-Propanone, 2,2',2''-[0,0',0''-(ethylsilylidyne)trioxime] STOT RE 2: H373 - Warning	2,5 - <5 %
N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger	0,1 - <1 %
Pyrithione zinc Acute Tox. 2: H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Repr. 1B: H360D; STOT RE 1: H372 - Danger	0,01 - <0,1 %
	Asp. Tox. 1: H304 - Danger  2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime] STOT RE 2: H373 - Warning  N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger  Pyrithione zinc Acute Tox. 2: H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Repr. 1B:



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification		M-factor
Pyrithione zinc	Acute	1000
CAS: 13463-41-7	Chronic	10

# SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

# By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

### Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

# For non-emergency personnel:



# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# Reference to other sections:

See sections 8 and 13.

6.4

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Store in a cool, dry, well-ventilated location
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-55-8	Dermal	Non-applicable	Non-applicable	0.97 mg/kg	Non-applicable
EC: 265-158-7	Inhalation	Non-applicable	Non-applicable	2.73 mg/m³	5.58 mg/m³



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
2-Propanone, 2,2',2''-[O,O',O''-(ethylsilylidyne)trioxime]	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 58190-57-1	Dermal	Non-applicable	Non-applicable	0.059 mg/kg	Non-applicable
EC: 611-631-1	Inhalation	Non-applicable	Non-applicable	0.419 mg/m <sup>3</sup>	Non-applicable
Pyrithione zinc	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 13463-41-7	Dermal	Non-applicable	Non-applicable	0.01 mg/kg	Non-applicable
EC: 236-671-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

### DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	Oral	Non-applicable	Non-applicable	0.74 mg/kg	Non-applicable
CAS: 64742-55-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 265-158-7	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
2-Propanone, 2,2´,2´´-[O,O´,O´´-(ethylsilylidyne)trioxime]	Oral	Non-applicable	Non-applicable	0.03 mg/kg	Non-applicable
CAS: 58190-57-1	Dermal	Non-applicable	Non-applicable	0.03 mg/kg	Non-applicable
EC: 611-631-1	Inhalation	Non-applicable	Non-applicable	0.103 mg/m <sup>3</sup>	Non-applicable

# PNEC:

Identification				
2-Propanone, 2,2´,2´´-[O,O´,O´´-(ethylsilylidyne)trioxime]	STP	2.398 mg/L	Fresh water	0.24 mg/L
CAS: 58190-57-1	Soil	240.95 mg/kg	Marine water	0.024 mg/L
EC: 611-631-1	Intermittent	Non-applicable	Sediment (Fresh water)	2047.053 mg/kg
	Oral	0.002638 g/kg	Sediment (Marine water)	204.705 mg/kg
N-(3-(trimethoxysilyl)propyl)ethylenediamine	STP	25 mg/L	Fresh water	0.062 mg/L
CAS: 1760-24-3	Soil	0.009 mg/kg	Marine water	0.006 mg/L
EC: 217-164-6	Intermittent	0.62 mg/L	Sediment (Fresh water)	0.22 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.022 mg/kg
Pyrithione zinc	STP	0.01 mg/L	Fresh water	0.00009 mg/L
CAS: 13463-41-7	Soil	1.02 mg/kg	Marine water	0.00009 mg/L
EC: 236-671-3	Intermittent	Non-applicable	Sediment (Fresh water)	0.009 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.009 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>> or <<CE marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

- D.- Eye and face protection
- Non-applicable
- E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

# Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012:

V.O.C. (Supply): V.O.C. density at 20 °C: 0.05 % weight 0.46 kg/m<sup>3</sup> (0.46 g/L)

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

	TION 9: PHYSICAL AND CHEMICAL PROPER					
9.1	Information on basic physical and chemical prope	rties:				
	Appearance:					
	Physical state at 20 °C:	Liquid				
	Appearance:	Paste				
	Colour:	Not available				
	Odour:	Not available				
	Odour threshold:	Non-applicable *				
	Volatility:					
	Boiling point at atmospheric pressure:	194 °C				
	Vapour pressure at 20 °C:	65 Pa				
	Vapour pressure at 50 °C:	278 Pa (0.28 kPa)				
	Evaporation rate at 20 °C:	Non-applicable *				
	Product description:					
	Density at 20 °C:	1010 kg/m³				
	Relative density at 20 °C:	1.01				
	Dynamic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 40 °C:	>20.5 mm²/s				
	Concentration:	Non-applicable *				
	pH:	Non-applicable *				
	Vapour density at 20 °C:	Non-applicable *				
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *				
	Solubility in water at 20 °C:	Non-applicable *				
	Solubility properties:	Non-applicable *				
	Decomposition temperature:	Non-applicable *				
	Melting point/freezing point:	Non-applicable *				
	Flammability:					
	Flash Point:	Non Flammable (>60 °C)				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	260 °C				
	Lower flammability limit:	Non-applicable *				
	Upper flammability limit:	Non-applicable *				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable				
9.2	Other information:					
	Information with regard to physical hazard classes	s:				
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Corrosive to metals:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.				



SECTION 9. PHYSICAL AND CHEMICAL PROPE	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)				
Heat of combustion:	Non-applicable *				
Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *				
Surface tension at 20 °C:	Non-applicable *				
Refraction index:	Non-applicable *				
*Not relevant due to the nature of the product, not providing infor	rmation property of its hazards.				

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Corrosivity/Irritability:
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: Toluene (3); Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	A	Acute toxicity		
2-Propanone, 2,2´,2´´-[O,O´,O´´-(ethylsilylidyne)trioxime]	LD50 oral	2500 mg/kg	Rat	
CAS: 58190-57-1	LD50 dermal	2493 mg/kg	Rat	
	LC50 inhalation	>20 mg/L		
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	LD50 oral	>5000 mg/kg	Rat	
CAS: 64742-55-8	LD50 dermal	>5000 mg/kg	Rabbit	
	LC50 inhalation	>20 mg/L (4 h)	Rat	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	LD50 oral	2295 mg/kg	Rat	
CAS: 1760-24-3	LD50 dermal	>5000 mg/kg		
	LC50 inhalation	>20 mg/L		
Pyrithione zinc	LD50 oral	300 mg/kg	Rat	
CAS: 13463-41-7	LD50 dermal	>5000 mg/kg		
	LC50 inhalation	0.61 mg/L (4 h)	Rat	

#### Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Dral >5000 mg/kg (Calculation method)		Non-applicable
Dermal >5000 mg/kg (Calculation method)		Non-applicable
Inhalation	nhalation >20 mg/L (4 h) (Calculation method)	

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

### 12.1 Toxicity:

### Acute toxicity:



# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus	
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	LC50	5000 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 64742-55-8	EC50	1000 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	1000 mg/L (96 h)	Scenedesmus subspicatus	Algae	
2-Propanone, 2,2´,2´´-[O,O´,O´´-(ethylsilylidyne)trioxime]	LC50	697 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 58190-57-1		679 mg/L (48 h)	N/A	Crustacean	
	EC50	315 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	LC50	597 mg/L (96 h)	Brachydanio rerio	Fish	
CAS: 1760-24-3	EC50	81 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	8.8 mg/L (72 h)	Selenastrum capricornutum	Algae	
Pyrithione zinc	LC50	0.003 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 13463-41-7	EC50	0.008 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	Non-applicable			

# Chronic toxicity:

Identification	Concentration		Species	Genus
Pyrithione zinc	NOEC	Non-applicable		
CAS: 13463-41-7	NOEC	0.022 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	Degradability		Biodegradability	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 1760-24-3	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	39 %

# 12.3 Bioaccumulative potential:

### Substance-specific information:

Identification	Bioa	Bioaccumulation potential		
Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346	BCF			
CAS: 64742-55-8	Pow Log	3.9		
	Potential			
2-Propanone, 2,2´,2´´-[O,O´,O´´-(ethylsilylidyne)trioxime]	BCF			
CAS: 58190-57-1	Pow Log	9.83		
	Potential			

# 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
2-Propanone, 2,2',2''-[0,0',0''-(ethylsilylidyne)trioxime]	Koc	85500	Henry	Non-applicable
CAS: 58190-57-1	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

# 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class		
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	Non-hazardous		
Type of waste:				
Non-applicable				

Waste management (disposal and evaluation):



# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste (England & Wales) Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste (England & Wales) Regulations 2011.

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

### The Control of Major Accident Hazards Regulations 2015:

Non-applicable

# Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Non-applicable

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit)

Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.

# SECTION 16: OTHER INFORMATION

# Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# GB CLP Regulation:

Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Dam. 1: H318 - Causes serious eye damage. Repr. 1B: H360D - May damage the unborn child. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. **Classification procedure:** Non-applicable Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources:



# SECTION 16: OTHER INFORMATION (continued)

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.